


2 FLUTE

MICRO ENGRAVING TOOLS FOR GENERAL PURPOSE ENGRAVING

30° - 90° ANGLES
 Complete Diameter Selection
 Mirror Surface Finishes
 Sub Micron Grain Carbide




1/8" Shank



Symbol Descriptions [Page 7](#)

A° $\begin{smallmatrix} +1^\circ \\ -1^\circ \end{smallmatrix}$	Dimensions (in)			Uncoated	
	D	d	L	Part Number	Stock
30°	0.050	1/8	1 1/2	EGR1250-030	●
60°	0.050	1/8	1 1/2	EGR1250-060	●
90°	0.050	1/8	1 1/2	EGR1250-090	●



Symbol Descriptions [Page 7](#)

3.00mm Shank

A° $\begin{smallmatrix} +1^\circ \\ -1^\circ \end{smallmatrix}$	Dimensions (mm)			Uncoated	
	D	d ^{h6}	L	Part Number	Stock
30°	1.27	3	38	EGR1181-030	●
60°	1.27	3	38	EGR1181-060	●
90°	1.27	3	38	EGR1181-090	●

DRILLS

END MILLS

ROUTERS

THREAD MILLS & TAPS

ENGRAVERS

BORING BARS

REAMERS

SAWS

TECHNICAL

INDEX

SERIES EGR WORKPIECE MATERIAL

Coating	P Steel ~30HRC	P Steel 30-40HRC	H Hardened Steel ~55HRC	H Hardened Steel ~68HRC	M Stainless Steel	K Cast Iron	N Aluminum	N Graphite	N Copper Alloy	N CFRP	N Plastic	N Thermoset Plastic	N High Density Plastic	S Nickel / Cobalt	S Titanium Alloy
Uncoated	★	★	☆	☆	☆		☆	☆	☆	☆				☆	☆

★ : Priority ☆ : Applicable Materials

Symbol Descriptions [Page 7](#)