

3.00mm SHANK

4 FLUTE MICRO REAMERS


1.40mm - 1.69mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



Symbol Descriptions [Page 7](#)

STANDARD Length (Metric Sizes)

| Dimensions (mm) | | | | | Uncoated | |
|---|-----------------|----|----|----|---------------|-------|
| D ^{+0.003mm} _{-0.000mm} | d ^{h6} | ℓ | L | R | Part Number | Stock |
| 1.40 | 3 | 10 | 50 | 18 | MR34-0551.406 | ● |
| 1.41 | 3 | 10 | 50 | 18 | MR34-0555.406 | ● |
| 1.42 | 3 | 10 | 50 | 18 | MR34-0559.406 | ● |
| 1.43 | 3 | 10 | 50 | 18 | MR34-0563.406 | ● |
| 1.44 | 3 | 10 | 50 | 18 | MR34-0567.406 | ● |
| 1.45 | 3 | 10 | 50 | 18 | MR34-0571.406 | ● |
| 1.46 | 3 | 10 | 50 | 18 | MR34-0575.406 | ● |
| 1.47 | 3 | 10 | 50 | 18 | MR34-0579.406 | ● |
| 1.48 | 3 | 10 | 50 | 18 | MR34-0583.406 | ● |
| 1.49 | 3 | 10 | 50 | 18 | MR34-0586.406 | ● |
| 1.50 | 3 | 10 | 50 | 18 | MR34-0590.406 | ● |
| 1.51 | 3 | 10 | 50 | 18 | MR34-0594.406 | ● |
| 1.52 | 3 | 10 | 50 | 18 | MR34-0598.406 | ● |
| 1.53 | 3 | 10 | 50 | 18 | MR34-0602.406 | ● |
| 1.54 | 3 | 10 | 50 | 18 | MR34-0606.406 | ● |
| 1.55 | 3 | 10 | 50 | 18 | MR34-0610.406 | ● |
| 1.56 | 3 | 10 | 50 | 18 | MR34-0614.406 | ● |
| 1.57 | 3 | 10 | 50 | 18 | MR34-0618.406 | ● |
| 1.58 | 3 | 10 | 50 | 18 | MR34-0622.406 | ● |
| 1.59 | 3 | 10 | 50 | 18 | MR34-0626.406 | ● |
| 1.60 | 3 | 10 | 50 | 18 | MR34-0630.406 | ● |
| 1.61 | 3 | 10 | 50 | 18 | MR34-0634.406 | ● |
| 1.62 | 3 | 10 | 50 | 18 | MR34-0638.406 | ● |
| 1.63 | 3 | 10 | 50 | 18 | MR34-0642.406 | ● |
| 1.64 | 3 | 10 | 50 | 18 | MR34-0646.406 | ● |
| 1.65 | 3 | 10 | 50 | 18 | MR34-0649.406 | ● |
| 1.66 | 3 | 10 | 50 | 18 | MR34-0653.406 | ● |
| 1.67 | 3 | 10 | 50 | 18 | MR34-0657.406 | ● |
| 1.68 | 3 | 10 | 50 | 18 | MR34-0661.406 | ● |
| 1.69 | 3 | 10 | 50 | 18 | MR34-0665.406 | ● |

SERIES MR34 WORKPIECE MATERIAL

| Coating | P Steel ~30HRC | P Steel 30-40HRC | H Hardened Steel ~55HRC | H Hardened Steel ~68HRC | M Stainless Steel | K Cast Iron | N Aluminum | N Graphite | N Copper Alloy | N CFRP | N Plastic | N Thermoset Plastic | N High Density Plastic | S Nickel / Cobalt | S Titanium Alloy |
|----------|----------------------|------------------------|-------------------------------|-------------------------------|----------------------|----------------|---------------|---------------|-------------------|-----------|--------------|------------------------|---------------------------|----------------------|---------------------|
| Uncoated | ★ | ★ | ★ | ★ | ★ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ☆ | ★ | ★ |

★ : Priority ☆ : Applicable Materials

Symbol Descriptions [Page 7](#)

- DRILLS
- END MILLS
- ROUTERS
- THREAD MILLS & TAPS
- ENGRAVERS
- BORING BARS
- REAMERS
- SAWS
- TECHNICAL
- INDEX